MATERIAL SAFETY DATA SHEET - SOFT





Company

THEO Manufacturing BV

Sleperweg 44, 6222 NK Maastricht, The Netherlands

Phone: +31 43 325 1773

www.l-mesitran.com

L-Mesitran Soft	GMDN code	47773	EMDN cod	M040499	
Product code	Reference code		Content	Container	
LMS15	203.01		15g	Tube	
LMS20	204.01		20g	Tube	
Available LMS50	205.01		50g	Tube	
LMS250	208.01		250g	Tube	
LMS125J	206.01		125g	Jar	
LMS250J	207.01		250g	Jar	
LMS01S	201.10)	0,9g E	Box of 10 sachets	
	Product code LMS15 LMS20 LMS50 LMS250 LMS125J LMS250J	Product code Reference LMS15 203.01 LMS20 204.01 LMS50 205.01 LMS250 208.01 LMS125J 206.01 LMS250J 207.01	Product code Reference code LMS15 203.01 LMS20 204.01 LMS50 205.01 LMS250 208.01 LMS125J 206.01 LMS250J 207.01	Product code Reference code Content LMS15 203.01 15g LMS20 204.01 20g LMS50 205.01 50g LMS250 208.01 250g LMS125J 206.01 125g LMS250J 207.01 250g	

Product Classification

There are no active ingredients in L-Mesitran Soft, therefore L-Mesitran Soft is registered as a medical device Class IIb (Rule 4, Device Classification Rules according to Directive 93/42/EEC).

Ingredient	CAS number	European Pharmacopoeia		
Eco-honey	8028-66-8	n/a		
Medilan® (=low allergic lanolin)	8006-54-0	Ph.Eur 7.4	04/2012:0134	
Propylene glycol	57-55-6	Ph.Eur 7.0	01/2008:0430	
PEG 4000 (Macrogols)	25322-68-3	Ph.Eur.7.0	01/2008:1444	
Vit C ascorbic acid	50-81-7	Ph.Eur.7.0	01/2011:0253	
Vitamin E (DL-α-tocopherol acetate)	7695-91-2	Ph.Eur.7.2	07/2011:0439	

Product description

L-Mesitran Soft is a gel that contains: 40% medical grade honey, medical grade hypoallergenic lanolin (Medilan®), propylene glycol, PEG 4000, and vitamins C & E. When the gel is in contact with the wound, fluid is drawn from the surrounding tissues through osmosis. By doing so, a moist wound healing environment is created. This environment stimulates the wound healing process: aids wound bed preparation by facilitating autolysis of necrotic and other devitalised material and promotes better epithelial cell migration.

• Due to the strong osmotic activity L-Mesitran Soft has antimicrobial properties.

MATERIAL SAFETY DATA SHEET - SOFT

MSDS-002



- The gel will dilute gradually and can be removed easily as per local wound cleansing protocols.
- L-Mesitran Soft is a primary wound dressing that can be covered with most commonly used secondary dressings.
- The properties of the gel also help prevent the secondary dressing adhering to the wound bed.
- Due to the use of natural ingredients, each batch of gel may vary in colour (white yellow - brown).
- The gel may contain sugar crystals, however this will not affect the effectiveness and/or application of the gel.

Indications

- Chronic wounds.
- Pressure ulcers (Stage I-IV).
- Venous stasis ulcers.
- Fungating wounds (to help deodorise and/or debride).
- · Colonised acute wounds.
- Surgical wounds.
- Postoperative wounds.
- Traumatic wounds (superficial wounds, cuts).
- Small burn and laser wounds (superficial and partial thickness burns).

Contraindications

L-Mesitran Soft gel is not indicated for:

- Third degree burns.
- Patients with a known sensitivity to honey or any other component parts.
- Dirty, infected and heavily exudating wounds (should first be cleansed).
- Deep narrow cavities.

Precautions

- Due to the dressing's low pH, some patients may notice slight transient stinging upon application of the dressing. If stinging persists and cannot be managed with an analgesic, remove dressing, cleanse area, and discontinue use.
- During initial use of the dressing (depending on wound exudate levels, interstitial fluid, and edema surrounding the wound), the dressing's high osmolarity may contribute to increased exudate. This can be managed by adjusting the frequency of dressing change according to the level of exudate.
- Bacterial colonisation of chronic wounds is always present and is not a contraindication for using L-Mesitran Soft.
- During the healing process, due to autolytic debridement it is common for non-viable tissue to be removed from the wound resulting in an initial increase in wound size. Although an initial increase in size may be attributed to the normal removal of non-viable tissue, consult a healthcare professional if the wound continues to grow larger after the first few dressing changes.
- After removing the dressing, if some material remains and is not easily removed, soak with sterile saline or water until it is removed without difficulty.

L-Mesitran*

MATERIAL SAFETY DATA SHEET - SOFT

MSDS-002

- Consult a healthcare professional if you see signs of infection, which can include increased redness, increased pain, increased wound drainage, increased skin irritation, and changes in wound color and/or odor.
- When opening and applying the gel from a new container, ensure that the new container is not damaged or previously opened.
- L-Mesitran® Soft is for use by a single patient only. The container may be re-used with the same patient.
- Always close the container after use.

Hazards

No hazards are known to date.

Storage precautions

Store at room temperature 5°-25°C / 41° - 77°F. Store dry. Do not freeze.

L-Mesitran® Soft is a natural product and may become liquid under varying temperatures. If this is expected to be a problem, then the product may be placed in a fridge prior to use. The storage conditions are detailed on the product cartons and tubes as symbols.

Shelf life

3 years (real time data).

Date of introduction on the EU market

April 2004.

tative	
Date	Company stamp
14-01-2022	Criginal Quality Document